

## DECLARATION OF PERFORMANCE

**Unique identification code:** N° DoP-HL 3,5 A-001

**Intended use:** Applications or materials for construction: building and civil engineering

**Manufacturer:** CHAUX DE SAINT ASTIER  
La Jarthe - 24110 SAINT-ASTIER

**Assessment and verification systems of performance constancy:** Niveau 2+

**Harmonized standard:**

EN 459-1 : 2015-08

The notified body for factory production control certification No. 0333 carried out the initial inspection of the manufacturing establishment and factory production control, as well as ongoing monitoring, assessment, and evaluation of factory production control under system 2+, and issued the conformity certificate No. 0333-CPR-33403 for factory production control.

**Declared performances:**

Essential characteristics:	Performances	Harmonized technical specifications
Free water	meets the requirement	EN 459-1 : 2015-08
Free lime	meets the requirement	
SO <sub>3</sub>	meets the requirement	
Penetration	meets the requirement	
Fineness	meets the requirement	
Stability	meets the requirement	
Setting time	meets the requirement	
Compressive strength	meets the requirement	
Entrained air	meets the requirement	
Hazardous substances	see FDS	


**The performances of the product identified above conform to the declared performances.**

**In accordance with Regulation (EU) No. 305/2011, this declaration of performance is issued under the sole responsibility of the manufacturer mentioned above.**

*Signed for the manufacturer and on their behalf by:*

**The Technical Director**  
**Laurent TEDESCHI**

At Saint-Astier on: 01/09/2024





0333

CHAUX DE SAINT-ASTIER

28 Bis route de Montanceix - La Jarthe

24110 SAINT-ASTIER -France

14

HL 3,5

N° DoP-HL 3,5 A-001

EN459-1

Hydraulic Lime EN 459-1 HL 3.5

Application or materials for construction, building and civil engineering.

The declared performance levels or classes are defined by the designation of the building lime.